

## IN THE CLAIMS

Amend the claims as indicated below by the markings.

1. (Original) A remote control, comprising:  
a support and a contact of the remote control;  
a support rail and a contact rail of a technical device, said support and said contact being  
fashioned such that at least one of an optical and electrical effective connection is  
automatically produced between said contact and said contact rail via attachment  
of said remote control to said support rail.
2. (Original) A remote control according to claim 1, wherein the effective connection is  
an electrically conductive contact.
3. (Original) A remote control according to claim 1, wherein the effective connection is  
an inductive connection.
4. (Original) A remote control according to claim 1, wherein the effective connection is  
an optical connection.
5. (Original) A remote control according to claim 1, wherein the remote control is  
supplied with an electrical voltage via the effective connection.
6. (Original) A remote control according to claim 5, further comprising:  
a charging module connected with said contact; and  
an accumulator module connected with said charging module.

7. (Original) A technical device and a remote control, comprising:  
a support rail and a contact rail of a technical device;  
a support and a contact of said remote control adapted to connect to said support rail and said  
contact rail;  
said support rail and said contact rail being fashioned such that at least one of an optical and  
electrical effective connection is automatically produced between said contact and said  
contact rail via attachment of said remote control to said support rail.

8. (Original) A technical device according to claim 7, wherein the effective connection  
is an electrically conductive contact.

9. (Original) A technical device according to claim 7, wherein the effective connection  
is an inductive connection.

10. (Original) A technical device according to claim 7, wherein the effective connection  
is an optical connection.

11. (Original) A technical device according to claim 7, wherein an electrical supply  
voltage is made available via the effective connection.

12. (Original) A technical device according to claim 11, wherein the contact rail is  
connected with a low-voltage supply.

13. (Original) A technical device according to claim 7, wherein said technical device is a  
medical-technical device.

14. (Original) A technical device according to claim 13, wherein said medical or technical device is a patient positioning table.

15. (New) A remote control according to claim 1, wherein the support is formed via a semicircular depression that is open at a bottom of the support and can engage around the support rail.

16. (New) A remote control according to claim 1, wherein the remote control comprises operating elements that can be used when said remote control is attached to said support rail and said contact rail.

17. (New) A remote control according to claim 1, wherein said contact is comprised of contact means that are shaped to slide into said contact rails upon attachment of the remote control.

18. (New) A remote control according to claim 1, wherein said contact rail is arranged on an underside of said technical device.

19. (New) A remote control according to claim 18, wherein said contact is moved on said contact rail from below.

20. (New) A remote control according to claim 1, wherein said technical device is a patient positioning table.

21. (New) A remote control according to claim 1, wherein said support rail is adapted

to allow an attachment of the remote control at an arbitrary position along an entire length of the support rail.

22. (New) A remote control according to claim 1, wherein said contact rail is adapted to allow a contact of the remote control at an arbitrary position along an entire length of the contact rail.

23. (New) A technical device and remote control according to claim 7, wherein the support is formed via a semicircular depression that is open at a bottom of the support and can engage around the support rail.

24. (New) A technical device and remote control according to claim 7, wherein the remote control comprises operating elements that can be used when said remote control is attached to said support rail and said contact rail.

25. (New) A technical device and remote control according to claim 7, wherein said contact is comprised of contact means that are shaped to slide into said contact rails upon attachment of the remote control.

26. (New) A technical device and remote control according to claim 7, wherein said contact rail is arranged on an underside of the technical device.

27. (New) A technical device and remote control according to claim 7, wherein said contact is moved on said contact rail from below.

28. (New) A technical device and remote control according to claim 7, wherein the technical device is a patient positioning table.

29. (New) A technical device and remote control according to claim 7, wherein said support rail is adapted to allow an attachment of the remote control at an arbitrary position along an entire length of the support rail.

30. (New) A technical device and remote control according to claim 7, wherein said contact rail is adapted to allow a contact of the remote control at an arbitrary position along an entire length of the contact rail.